



Declaration of Performance for concrete roofing tiles and fittings for roof covering and wall cladding

All concrete roofing tiles and fittings produced at the Rock Roofing manufacturing plant, Nangreaves street, Leigh, conform to the requirements of

B.S EN 490: 2011 – Concrete roofing tiles and fittings for roofs and wall cladding- Products specifications

And are tested to the requirements of
B.S EN 491:2011 - Concrete roofing tiles and fittings for roofs and wall cladding- Test Methods

1. Unique Identification Code/ designation in accordance with 8.1 of BS EN 490:

Name	Designation
75° Angle Ridge Tile	R-EN 490-R-450 x 230-15
90° Angle Ridge Tile	R-EN 490-R-450 x 230-15
105° Angle Ridge Tile	R-EN 490-R-450 x 260-15
115° Angle Ridge Tile	R-EN 490-R-450 x 290-15
125° Angle Ridge Tile	R-EN 490-R-450 x 295-15
135° Angle Ridge Tile	R-EN 490-R-450 x 335-15
3 hole Universal Angle Ridge Tile	R-EN 490-R-450 x 300-15
Half Round Ridge Tile	R-EN 490-R-450 x 260-15



Name	Designation
Cocks Comb Universal Angle Ridge Tile	R-EN 490-R-450 x 250-15
FDL Universal Angle Ridge Tile	R-EN 490-R-450 x 250-15
Club Crest Universal Angle Ridge Tile	R-EN 490-R-450 x 250-15
90° Roll Top Universal Angle Ridge Tile	R-EN 490-R-450 x 245-15
105° Roll Top Universal Angle Ridge Tile	R-EN 490-R-450 x 270-15
90° 3 hole 300mm	R-EN 490-R-450 x 240-15
105° 3 hole 300mm	R-EN 490-R-450 x 250-15

2. Type, batch – or serial number, or other marking for the identification of the construction product in accordance with Article 11, paragraph 4:

Each batch will be identifiable by name, production date and pallet no.



3. Intended use(s):

The intended use or uses of the products listed is for pitched roof coverings and wall cladding.

4. Manufacturer details in accordance with Article 11, Paragraph 5:
 Rock Roofing Products, Firsdale Industrial Estate, Leigh WN7 4TN
 Tel: 01942 601082




sales@rockroofingproducts.co.uk
Company Registration No: 8347460

5. System or Systems of attestation and verification of constancy of performance 4

6. Declared Performance

The declared performance and essential characteristics for each product is attached.

Declaration of performance


Rock Roofing Products Unit 4 Nangreaves street, Leigh, Lancashire, WN7 4TN 13
Harmonised technical specification: EN 490:2011 The intended is to be used for roof covering, or external wall cladding or internal wall lining Product Type: Co-ordinated Ridge Tiles (T)



Provision to which the product conforms: 4		Annex ZA of BS EN 490:2011. System
Mechanical Resistance	Complies	
External Fire Performance	B Roof (without the need for testing)	
Reaction to Fire	See notes	
Water Impermeability	Complies	
Dimensional Variation	Complies	
Durability(Freeze-Thaw)	Complies	

Notes: this product is less than 1% organic so there's no need for fire testing.

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and appropriate codes of practice.



On behalf of the manufacturer:

Full name: John Ratcliffe

Position: Director

Date: 1st May 2019

Signed in Leigh Greater Manchester, England.WN7 4TN